

SEELEVEL™ RV 2.0



Mobile Application User Manual

Compatible with
709-BTP3 & 709-BTP7

App version 1.1.1



Mobile Device Compatibility



Android

An Android phone or tablet with Bluetooth® running Android version 7.0 or newer.



Apple iOS

An Apple iPhone or iPad with Bluetooth® running iOS version 13.4 or newer.

ABOUT THE APPLICATION

The SeeLevel RV 2.0 app is compatible with both the 709-BTP3 and 709-BTP7 models and offers a wide range of powerful features to enhance your RV monitoring experience. Effortlessly monitor your tank levels and set alarms when your tanks are getting too low or too full, right from your phone or tablet. With the SeeLevel RV 2.0 app, managing your tanks has never been easier.



709-BTP3 display.



709-BTP7 display.

Contents

Getting Started.....	2
Find My Tanks Screen 709-BTP3	2
Find My Tanks Screen 709-BTP7	3
My Tanks Screen.....	3
Alarm Settings (Beta).....	4
Guide.....	4

"The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Garnet Instruments Ltd. is under license. Other trademarks and trade names are those of their respective owners."

Printed in Canada

CANADA
Garnet Instruments Ltd.
286 Kaska Road
Sherwood Park, AB T8A 4G7

USA
Garnet US Inc.
5360 Old Granbury Road
Granbury, TX 76049

GARNET

Liquid management solutions, your way.

RVgauge.com | 1-800-617-7384

Version 2.1 - 21-Nov-2024


GETTING STARTED

Download and Install App

Go to either the iOS App Store or Google Play Store and search for "SeeLevel RV 2.0". Download and install the application. When you launch the SeeLevel RV App for the first time, there are a few permissions that you need to allow.

NOTE: DON'T MISS OUT ON UPDATES!

The app will be updated periodically. To avoid missing out on these updates, make sure to enable auto-update in your app store or manually check for updates.




*Location permission.
(no personal data is tracked or saved.)*



Notification permission.



Mobile device permission. (Bluetooth)



Home screen

Select the Videos button to view instructional videos demonstrating the setup and app usage.

FIND MY TANKS SCREEN 709-BTP3


Find My Tanks



Scanning Process

After launching the SeeLevel RV 2.0 app select the "Find My Tanks" button and follow on screen instructions.

NOTE: Make sure you are as close as possible to your SeeLevel display.




FIND MY TANKS SCREEN 709-BTP7

Find My Tanks



From "Device Type" screen




NOTE: Selecting option 2 may result in seeing other SeeLevel devices in the area.


Select one of these options.



Press BATT button to enable search mode for 10 seconds.



Select the device with your product ID.





Enter a name for your device.

MY TANKS SCREEN


My Tanks



Once you have given the device a name, you will be redirected to the "My Tanks" screen, where you can start monitoring your tank levels. Once you have saved your device, you can conveniently access tank level information directly from the app's Home Screen using the "My Tanks" button while in Bluetooth range.



Turn "Save Device" switch to on.



Select to access device settings.

ALARM SETTINGS (BETA)



Setting alarms for each tank allows you to monitor your tank levels while the app is not in use. Once an alarm is triggered you will receive a notification, alerting you to take necessary action. You will only receive notifications if you are within the appropriate range of your RV. The Alarm feature is not available for iOS users using a 709-BTP3 device.

NOTE: Fresh and LPG tanks use the low level alarm. Black and Grey tanks use the high level alarms.

Turn on low or high alarm.

Enter desired alarm activation percentage.

Select to add an alarm.

NOTE: The alarm feature is currently in Beta. If you experience any issues please contact us via email or leave a review on our Google Play storefront. Any feedback that you have is greatly appreciated.

EXAMPLE: The Fresh alarm will trigger below 30%. The Grey and Black alarms will trigger above 70%.

Start or stop alarm feature.

GUIDE

Example diagnostic message.

Possible causes:
 1) Sender is unresponsive.
 2) There is an open circuit in the wiring so the sender is not connected.

Select for diagnostic information.

Scanning Instructions	Device Help	Alarm Guide
1) Move Within Range: Stand within 9 meters (30 feet) of your RV. 2) Enable Services: If Bluetooth and Location Services are not enabled, enable them. 3) Enable Permissions:	1) Move Within Range: Stand within 9 meters (30 feet) of your RV. 2) Enable Services: If Bluetooth and Location Services are not enabled, enable them. 3) Enable Permissions:	1) Add Alarm: Select the plus icon at the bottom of the screen. 2) Select a Tank: Press the "Select Tank" dropdown menu and chose a tank for an alarm. 3) Select Alarm Type:

Both "Find My Tanks" and "Alarms" screens have a help feature. Select the help button to access.